Identity your mood triggers:		
	Keep a diary to try and identify triggers or thoughts that worsen mood. Record times when depression is worse – it can be an end-of-dose, wearing-off symptom.	
	Some triggers I've identified are:	
Treat your depression:		
	Talk with your doctor about treatment that can include medicine, counseling, cognitive behavioral therapy or relaxation techniques.	
	Obtain a general medical examination; some medicines, thyroid disease, heart disease and illness can cause or worsen depression.	
	Explore light therapy if you suffer from seasonal/winter depression.	
	Talk to your doctor about anti-depressant medications.	
	Closely monitor anti-depressant usage with your doctor; some studies have found that antidepressants may exacerbate other Parkinson's symptoms.	
A	dd fun, pleasure and positive energy to your life:	
	Spend five minutes a day thinking about or visualizing life's pleasures or what you are grateful for: family, grandchildren, pets.	
	Spend time to reflect on the beauty of the natural world around you.	
	Volunteer – it can be uplifting and rewarding.	
	Laugh with others. Watch comedies. Children and pets bring a smile.	
	Dance, paint, sing, share memories with others around you.	

(continued on back) -



Section 5: Worksheets

Change your habits:	
Eat a well-balanced diet.	
☐ Take medicines as prescribed.	
☐ Tend to sleep habits (also see fatigue and sleep worksheets).	
Stay connected:	
Attend classes, support groups, call a friend, join a positive chat group or buddy program.	
Attend to your spiritual needs.	

